

GEOLOGIC RANGE.—Early Oligocenc.

GEOGRAPHIC RANGE.—Northeastern Colorado and (?) South Dakota, U.S.A.

REMARKS.—For description of skeleton see Auffenberg (1962d).

?*Stylemys* †*botti* Stefano

?*Stylemys bottii* Stefano 1902a, p. 72.

*Stylemys botti* Williams 1950a, p. 23.

TYPE.—Presumably in the Muscum of the School of Mines in Paris, but not located on inquiry; most of carapace and plastron.

TYPE LOCALITY AND HORIZON.—France; Miocene.

GEOLOGIC RANGE.—Miocenc.

GEOGRAPHIC RANGE.—France.

REMARKS.—Generic assignment uncertain.

?*Stylemys* †*calaverensis* Sinclair

?*Stylemys calaverensis* Sinclair 1903, p. 243.

TYPE.—Univ. of California Museum of Paleontology; a partial shell.

TYPE LOCALITY AND HORIZON.—2 mi. S. of Vallecito, Calaveras County, California, U.S.A.; auriferous gravels, Miocene.

GEOLOGIC RANGE.—Miocene.

GEOGRAPHIC RANGE.—Northern California, U.S.A.

REMARKS.—Generic assignment not entirely clear because of fragmentary nature of the specimen.

*Stylemys* †*capax* Hay

*Stylemys nebrascensis* Cope 1885, p. 770 ("No. 2") (part).

*Stylemys capax* Hay 1908, p. 392, figs. 498-499.

TYPE.—American Museum of Natural History; a complete shell.

TYPE LOCALITY AND HORIZON.—Near junction of North and South Forks of John Day River, Grant County, Oregon, U.S.A.; Middle John Day series, Arikareean faunal age, Early Miocene.

GEOLOGIC RANGE.—Early Miocene.

GEOGRAPHIC RANGE.—Central Oregon, U.S.A.

*Stylemys* †*conspecta* Hay

*Stylemys nebrascensis* Cope 1885, p. 769 (part).

*Stylemys conspecta* Hay 1908, p. 393.

TYPE.—American Museum of Natural History; a shell.

TYPE LOCALITY AND HORIZON.—Near junction of North and South